

Sexton, Pamela Rambo

From: Harmon, Chris L.
Sent: Tuesday, May 24, 2022 3:21 PM
To: Chisolm, Keith A
Cc: Sexton, Pamela Rambo; Kelley, Sylvia; Kemp, Kevin
Subject: Auditorium Curtain Replacement project
Attachments: CFW- Will Rogers Round Up Inn Stage Curtains.pdf; CFW-Will Rogers Auditorium Stage Curtains.pdf; Will Rogers Auditorium Curtain Replacement Quote Revised 11-12-2019.pdf

Keith,
Attached you will find the specs for the Auditorium and Round Up Inn drapes along with a reference quote for the Auditorium. Below you will find a list of potential vendors for the project. Kevin would also like to include the front of house blackout curtains & aisle drapes, which I am waiting on Daniel to provide measurements. The project should include labor to install drapes and replacement of carriers and pulley in the existing tracks with all new hardware. Let me know if you need further assistance with this project.
Chris

- Texas Scenic Co. John Owens, Sr. <http://www.texasscenic.com/> j.owens@texasscenic.com
- IWeiss. Richard Parks <http://www.iweiss.com/> Richardp@iweiss.com
- Stagecraft Industries. Mike Hyde <http://www.stagecraftindustries.com/> mikeh@stagecraftindustries.com
- InterAmerica Stage. Mark Black <http://www.iastage.com/> mark.black@iastage.com
- Barbizon. Scott Baker. <https://www.barbizon.com> sbaker@barbizon.com
- AV Pro, Inc. Contact: Amy Jackson, amy@avpro-inc.com
- LVH Entertainment Systems Contact: Jason Davis or Kevin Kish: jdavis@lvhent.com
- Main Stage Theatrical Supply, Inc. Contact: Dean A. Sternke : dsternke@mainstage.com
- Protech Theatrical Services, Inc. Contact: Will Brants: wbrants@protechlv.com
- Wenger Corporation / JR Clancy, Inc. Contact: John Owens, Jr. John.Owens@wengercorp.com

Chris Harmon

Sr Public Events Manager

Will Rogers Memorial Center

3401 W. Lancaster Av., Fort Worth, Texas 76107

Office: 817.392.5988

Cell: 817.991.0290

chris.harmon@fortworthtexas.gov

City of Fort Worth — Working together to build a strong community.



City of Fort Worth/Will Rogers Memorial Center Round Up Inn Stage Curtain Replacement Specifications

Main Valence

- Number of Panels- (1) @ 45'w x 43"h
- Fabric- 25oz IFR (inherently flame retardant) polyester velour
- Construction
 - Top- Grommets/tie lines
 - Bottom- 6" hem with chain pocket
 - Added Fullness- 50%
 - Pleats- Box at 12" off center
 - Side- 3" hems
- Color- Black

Main Curtain

- Number of Panels- (2) @ 24'w x 14'h
- Fabric- 25oz IFR (inherently flame retardant) polyester velour
- Construction
 - Top- Snap hooks
 - Bottom- 6" hem with chain pocket
 - Added Fullness- 50%
 - Pleats- Box at 12" off center
 - Turn backs- 24"
- Color- Black

Mid-stage Curtain

- Number of Panels- (2) @ 24'w x 14'h
- Fabric- 25oz IFR (inherently flame retardant) polyester velour
- Construction
 - Top- Snap hooks
 - Bottom- 6" hem with chain pocket
 - Added Fullness- 50%
 - Pleats- Box at 12" off center
 - Turn backs- 24"

- Color- Black

Rear Curtain

- Number of Panels- (2) @ 24'w x 14'h
- Fabric- 25oz IFR (inherently flame retardant) polyester velour
- Construction
 - Top- Snap hooks
 - Bottom- 6" hem with chain pocket
 - Added Fullness- 50%
 - Pleats- Box at 12" off center
 - Turn backs- 24"
- Color- Black

Borders

- Number of Panels- (2) @ 45'w x 43"h
- Fabric- 25oz IFR (inherently flame retardant) polyester velour
- Construction
 - Top- Grommets/tie lines
 - Bottom- 3" hem
 - Added Fullness- 50%
 - Pleats- Box at 12" off center
 - Side- 3" hems
- Color- Black

Legs

- Number of Panels- (6) @ 5'w x 14'h
- Fabric- 25oz IFR (inherently flame retardant) polyester velour
- Construction
 - Top- Snap hooks
 - Bottom- 6" hem with chain pocket
 - Added Fullness- 50%
 - Pleats- Box at 12" off center
 - Side' 3" hems
- Color- Black

City of Fort Worth/Will Rogers Memorial Center Auditorium Stage Curtain Replacement Specifications

Main Valence

- Number of Panels- (1) @ 66'w x 12'h
- Fabric- 25oz IFR (inherently flame retardant) polyester velour
- Construction
 - o Top- Grommets/tie lines
 - o Bottom- 6" hem chain pocket
 - o Added Fullness- 50%
 - o Pleats- Box at 12" off center
 - o Side- 3" hems
- Installation- On existing batten
- Color- Red

Main Curtain

- Number of Panels- (2) @ 36'w x 30' h
- Fabric- 25oz IFR (inherently flame retardant) polyester velour
- Construction
 - o Top- Snap hooks
 - o Bottom- 6" hem chain pocket
 - o Added Fullness- 50%
 - o Pleats- Box at 12" off center
 - o Turn backs- 24"
- Installation- On existing track to be re-roped with new hand line
- Color- Red

Mid-stage Curtain

- Number of Panels- (2) @ 36'w x 30' h
- Fabric- 25oz IFR (inherently flame retardant) polyester velour
- Construction
 - o Top- Snap hooks
 - o Bottom- 6" hem chain pocket
 - o Added Fullness- 50%

- Pleats- Box at 12" off center
- Turn backs- 24"
- Installation- On existing track to be re-roped with new hand line
- Color- Black

Side Legs

- Number of Panels (10) @ 15'w x 35'h
- Fabric- 25oz IFR (inherently flame retardant) polyester velour
- Construction
 - Top- Snap hooks
 - Bottom- 6" hem chain pocket
 - Added Fullness- 50%
 - Pleats- Box at 12" off center
 - Side Hems- 3"
- Color- Black

Borders

- Number of Panels- (5) @ 70'w x 10'h
- Fabric- 25oz IFR (inherently flame retardant) polyester velour
- Construction
 - Top- Grommets/tie lines
 - Bottom- 3" hem
 - Added Fullness- 50%
 - Pleats- Box at 12" off center
 - Side Hems- 3"
- Color- Black

Rear Curtain

- Number of Panels- (1) @ 66'w x 30'h
- Fabric- 25oz IFR (inherently flame retardant) polyester velour
- Construction
 - Top- Grommets/tie lines
 - Bottom- 6" hem with chain pocket
 - Added Fullness- 0% (sewn flat)
 - Side Hems- 3"
- Color- Black

Cyclorama

- Number of Panels- (1) @ 66'w x 35'h
- Fabric- IFR (inherently flame retardant) heavyweight seamless muslin
- Construction
 - o Top- Grommets/tie lines
 - o Bottom- Pipe pocket
- Color- White

Scrim

- Number of Panels- (1) @ 66'w x 35'h
- Fabric- IFR Sharks tooth scrim
- Construction
 - o Top- Grommets/tie lines
 - o Bottom- Pipe pocket
- Color- Black