


PLOTTED BY: Jeremy Windell ON: Thursday, July 31, 2025 AT: 5:24 PM FILEPATH: P:\Legacy\ Dunaway\PlannedCommunity\2001\2001169\Engineering\032 - Master\Civil\TRZ\Boundary.dwg



Property Boundary Description - 7,191.562 acres

Being a 7,945.98 acre tract of land situated in G.E. and A.H. Tandy Survey, Abstract No. 2355; G.E. and A.H. Tandy Survey, Abstract No. 2356; International & Great Northern RR Company Survey, Abstract No. 1808; International & Great Northern RR Company Survey, Abstract No. 1995; International & Great Northern RR Company Survey, Abstract No. 1996; International & Great Northern RR Company Survey, Abstract No. 2002; International & Great Northern RR Company Survey, Abstract No. 2004; International & Great Northern RR Company Survey, Abstract No. 2224; Heirs of C.H. Higbee Survey, Abstract No. 2740; M.C. Moulton Survey, Abstract No. 933; M.C. Moulton Survey, Abstract No. 934; J.W.M. Rider Survey, Abstract No. 1120; C.B. Rider Survey, Abstract No. 1121; Horatio Chrisman Survey, Abstract No. 284; Edward Dean Survey, Abstract No. 354; Texas and Pacific Railway Company Survey, Abstract No. 1509; H.J. Thompson Survey, Abstract No. 2434; Houston Tap & Brazoria Railroad Company Survey, Abstract No. 647; Houston Tap & Brazoria Railroad Company Survey, Abstract No. 648; Houston Tap & Brazoria Railroad Company Survey, Abstract No. 651; Houston Tap & Brazoria Railroad Company Survey, Abstract No. 654; J.G. Wood Survey, Abstract No. 1961; Heirs of Higbee & Hildreth Survey, Abstract No. 2721 and William Robinson Survey, Abstract No. 1107; Jonathan Burleson Survey, Abstract No. 29; J.D. Kyle Survey, Abstract No. 792; Calvin Jackson Survey, Abstract No. 754; J.D. Morris Survey, Abstract No. 927, Parker County, Texas, also being situated in William Robinson Survey, Abstract No. 1274; Henry Lane Survey, Abstract No. 928; San Antonio and Mexican Gulf Railroad Company Survey, Abstract No. 1479; Jonathan Burleson Survey, Abstract No. 78, Tarrant County, Texas, said 7,945.98 acre tract of land being more particularly described as follows:

Beginning at point for corner on the east right-of-way line of FM 3325 and a point on the common north line of Walsh Ranches, Limited Partnership tract, as recorded in Volume 1699, Page 1765, Deed Records of Parker County, Texas (D.R.P.C.T.) and the south line of a called 129.769 acre tract of land described in deed to Geo Beggs Aledo Ranch, LP, as recorded in Document No. 202043651, Official Public Records of Parker County, Texas (O.P.R.P.C.T.), said POINT OF BEGINNING being locatable by NAD83 Grid Coordinate N:6,952,772.72, E:2,245,254.10;

THENCE North 89 degrees 18 minutes 47 seconds East, departing the east right-of-way line of said FM 3325, along said common line, a distance of 5,228.36 feet to the southeast corner of said Beggs tract;

THENCE North 00 degrees 33 minutes 20 seconds West, departing said south line and along east line a distance of 2,038.95 feet to a point in the north line of said Beggs tract;

THENCE North 89 degrees 27 minutes 30 seconds East, departing said east line a distance of 578.97 feet to a point for corner;

THENCE North 01 degree 12 minutes 51 seconds West a distance of 440.80 feet to a point for the beginning of a non-tangent curve to the left, having a radius of 570.00 feet, a central angle of

54 degrees 15 minutes 47 seconds and a chord bearing of North 37 degrees 36 minutes 10 seconds East, a distance of 519.88 feet;
THENCE Northeasterly, along said non-tangent curve to the left, an arc length of 539.83 feet to the end of said curve;

THENCE North 25 degrees 08 minutes 36 seconds East a distance of 81.33 feet to a point for corner;

THENCE North 01 degrees 12 minutes 46 seconds West a distance of 604.77 feet to a point for corner;

THENCE North 48 degrees 34 minutes 26 seconds East, a distance of 56.54 feet to a point for the beginning of a non-tangent curve to the right, having a radius of 523.80 feet, a central angle of 47 degrees 59 minutes 46 seconds and a chord bearing of North 20 degrees 54 minutes 38 seconds West, a distance of 426.06 feet;

Thence Northwesterly, along said non-tangent curve to the right, an arc distance of 438.78 feet to the end of said curve;

THENCE North 00 degrees 00 minutes 05 seconds East a distance of 2,877.78 feet to a point for corner;

THENCE North 00 degrees 16 minutes 13 seconds West a distance of 2,567.56 feet to a point for corner;

THENCE North 49 degrees 36 minutes 44 seconds West a distance of 183.30 feet to a point for corner;

THENCE North 71 degrees 51 minutes 34 seconds West a distance of 1,261.99 feet to a point for corner;

THENCE North 33 degrees 34 minutes 00 seconds West a distance of 284.02 feet to a point for corner;

THENCE North 50 degrees 15 minutes 59 seconds West a distance of 248.04 feet to a point for corner;

THENCE North 17 degrees 24 minutes 03 seconds East a distance of 1,972.89 feet to a point for corner;

THENCE North 88 degrees 28 minutes 01 seconds East a distance of 1,055.43 feet to a point for corner;

THENCE North 00 degrees 58 minutes 37 seconds West a distance of 1,250.17 feet to a point for corner;

THENCE North 80 degrees 52 minutes 27 seconds East a distance of 3,755.46 feet to a point for corner;

THENCE South 00 degrees 44 minutes 21 seconds East a distance of 1,386.56 feet to a point for corner;

THENCE North 89 degrees 37 minutes 59 seconds East a distance of 135.66 feet to a point for corner;

THENCE South 18 degrees 37 minutes 38 seconds West a distance of 3,482.53 feet to a point for corner;

THENCE South 00 degrees 39 minutes 31 seconds East a distance of 4,662.20 feet to a point for corner;

THENCE North 89 degrees 00 minutes 23 seconds East a distance of 2,082.80 feet to a point for corner;

THENCE South 40 degrees 02 minutes 20 seconds East a distance of 383.71 feet to a point for corner;

THENCE South 52 degrees 50 minutes 48. seconds East a distance of 318.45 feet to a point for corner;

THENCE South 54 degrees 51 minutes 37 seconds East a distance of 186.29 feet to a point for corner;

THENCE South 61 degrees 16 minutes 25 seconds East a distance of 360.79 feet to a point for corner;

THENCE South 24 degrees 50 minutes 49 seconds East a distance of 883.61 feet to a point for corner;

THENCE South 56 degrees 50 minutes 23 seconds East a distance of 24.09 feet to a point for corner;

THENCE South 50 degrees 20 minutes 18 seconds East a distance of 432.17 feet to a point for corner;

THENCE South 04 degrees 27 minutes 20 seconds East a distance of 370.84 feet to a point for corner;

THENCE North 79 degrees 33 minutes 17 seconds East a distance of 616.49 feet to a point for corner;

THENCE South 01 degrees 07 minutes 50 seconds East a distance of 198.33 feet to a point for corner;

THENCE South 89 degrees 03 minutes 28 seconds West a distance of 1,044.26 feet to a point for corner;

THENCE South 00 degrees 46 minutes 45 seconds East along a west line of a called Brown tract, a distance of 2,759.51 feet to a point for corner in a south line of said Brown tract;

THENCE North 89 degrees 27 minutes 36 seconds East, along said south line a distance of 3,530.28 feet to a point in a west line of said Brown tract;

THENCE South 00 degrees 42 minutes 57 seconds East, along said west line a distance of 1,251.92 feet to a point for corner;

THENCE North 89 degrees 49 minutes 04 seconds East, departing said west line a distance of 3,383.35 feet to a point for corner;

THENCE South 00 degrees 43 minutes 26 seconds West a distance of 333.57 feet to a point for corner;

THENCE South 01 degrees 37 minutes 09 seconds West a distance of 733.28 feet to a point for corner;

THENCE South 02 degrees 04 minutes 20 seconds West a distance of 201.06 feet to a point for corner;

THENCE South 00 degrees 22 minutes 29 seconds West a distance of 93.51 feet to a point for corner;

THENCE South 01 degrees 07 minutes 35 seconds West a distance of 302.94 feet to a point for corner;

THENCE South 01 degrees 20 minutes 19 seconds West a distance of 201.45 feet to a point for corner;

THENCE South 00 degrees 58 minutes 48 seconds West a distance of 550.35 feet to a point for corner;

THENCE South 00 degrees 36 minutes 23 seconds West a distance of 352.74 feet to a point for corner;

THENCE South 00 degrees 29 minutes 26 seconds East a distance of 890.28 feet to a point for corner;

THENCE South 00 degrees 53 minutes 51 seconds East a distance of 98.37 feet to a point for corner;

THENCE South 00 degrees 16 minutes 57 seconds West a distance of 806.86 feet to a point in the north right-of way of IH 30;

THENCE along the north right-of-way line of said IH 30 the following courses and distances:
South 83 degrees 52 minutes 23 seconds West a distance of 88.28 feet;
South 89 degrees 34 minutes 23 seconds West a distance of 700.00 feet;
North 76 degrees 23 minutes 37 seconds West a distance of 103.08 feet;
South 75 degrees 32 minutes 23 seconds West a distance of 103.08 feet;
South 89 degrees 34 minutes 23 seconds West a distance of 500.00 feet;
North 81 degrees 53 minutes 37 seconds West a distance of 101.12 feet;
South 89 degrees 34 minutes 23 seconds West a distance of 900.00 feet;
South 81 degrees 02 minutes 23 seconds West a distance of 101.12 feet;
South 89 degrees 34 minutes 05 seconds West a distance of 805.25 feet to a 5/8-inch iron rod with yellow cap stamped "DUNAWAY ASSOC LP seconds (hereinafter referred to as 5/8-inch YCIR);

THENCE South 01 degrees 18 minutes 36 seconds East, leaving the north right-of-way of said IH 30, a distance of 415.23 feet to a point in the south right-of-way of IH 30, same being in the west line of the called Nazarian tract;

THENCE South 00 degrees 13 minutes 59 seconds East, departing the south right-of-way line of said IH 30 and along said west line a distance of 4,211.00 feet to a point in the south line of said Nazarian tract;

THENCE South 89 degrees 45 minutes 11 seconds East, leaving said west line and along said south line a distance of 3,344.49 feet to a point in the east line of said Nazarian tract;

THENCE North 00 degrees 04 minutes 29 seconds West, leaving said south line and along said east line a distance of 827.60 feet to a point for corner;

THENCE South 89 degrees 57 minutes 27 seconds East a distance of 2,666.03 feet to a point in the west line of a called Lost Creek tract;

THENCE South 00 degrees 10 minutes 01 seconds West, leaving said south line and along said west line a distance of 2,263.89 feet to a point in the south line of said Lost Creek;

THENCE South 89 degrees 38 minutes 07 seconds East, leaving said west line and along said south line a distance of 2,642.60 feet to a point in the west line of a called Murrin tract;

THENCE South 00 degrees 08 minutes 37 seconds West a distance of 3,309.95 feet along said west line to a TXDOT monument in the north right-of-way of said IH 20;

THENCE South 85 degrees 30 minutes 24 seconds West, departing the north right-of-way line of said IH 20, across said IH 20 a distance of 2,693.60 feet to a found rebar in the southwesterly right-of-way of said IH 20, same being a corner on the east line of said Walsh Ranches tract, said corner being the northwest corner of a tract (Tract 2) of land, as described in deed to Dry Ranch, LLC, as recorded in Document Number D217210159, Official Public Records of Tarrant County, Texas (O.P.R.T.C.T.);

THENCE South 00 degrees 00 minutes 24 seconds West, departing said southwesterly right-of-way line, along the east line of said Walsh Ranches tract and the west line of said Tract 2, passing a found 1/2-inch iron rod for the southwest corner of said Tract 2 at a distance of 316.95 feet, continuing along east line of said Walsh Ranches tract and the west line of a called 100.6611 acre tract recorded in deed to Markum Land Properties, LLC, as recorded in Document Number D217100297, O.P.R.T.C.T., a called 5.146 acre tract of land described in deed to City of Fort Worth, as recorded in Document Number D221015413, O.P.R.T.C.T., a called 51.4720 acre tract recorded in deed to Markum Land Properties, LLC, as recorded in Document Number D217100297, O.P.R.T.C.T., tract (Tract 3) of land, as described in deed to Dry Ranch, LLC, as recorded in Document Number D217210159, O.P.R.T.C.T., a total distance of 5,288.60 feet to a found 1/2-inch iron rod in concrete for the southeast corner of said Walsh Ranches tract and the southwest corner of said Dry Ranch Tract 3, said corner being on the north right-of-way line Aledo Road (variable width);

THENCE North 77 degrees 49 minutes 14 seconds West, departing the east line of said Walsh Ranches tract and the west line of said Dry Ranch Tract 3, along said north right-of-way line, a distance of 212.02 feet to a point for corner;

THENCE North 80 degrees 34 minutes 42 seconds West, along said north right-of-way line, a distance of 2,044.40 feet to a point for corner;

THENCE North 82 degrees 39 minutes 11 seconds West, along said north right-of-way line, a distance of 562.68 feet to a point for corner;

THENCE South 71 degrees 00 minutes 49 seconds West, along said north right-of-way line, a distance of 77.68 feet to a point for corner for an angle point on the north right-of-way line of the Union Pacific Railroad (variable width);

THENCE North 80 degrees 25 minutes 53 seconds West, along said north right-of-way line, a distance of 280.87 feet to a point for corner for the southeast corner of tract (Tract 3) of land, as described in deed to Union Pacific Railroad, as recorded in Document Number 201910086, D.R.P.C.T;

THENCE North 09 degrees 32 minutes 09 seconds East, along the east line of said Union Pacific Tract 3, a distance of 10.00 feet to a point for corner for northeast corner of said Union Pacific Tract 3;

THENCE North 80 degrees 25 minutes 53 seconds West, along the north line of said Union Pacific Tract 3, a distance of 151.37 feet to a set 5/8-inch YCIR for the beginning of a circular

curve to the left, having a radius of 3,905.33 feet and whose chord bears North 82 degrees 18 minutes 05 seconds West, a distance of 254.85 feet;

THENCE Northwest, along said north line and said curve to the left, through a central angle of 03 degrees 44 minutes 23 seconds, an arc distance of 254.90 feet to a point for corner for the northwest corner of said Union Pacific Tract 3;

THENCE South 05 degrees 49 minutes 36 seconds West, along the west line of said Union Pacific Tract 3, a distance of 10.00 feet to a point for corner for the southwest corner of said Union Pacific Tract 3, said corner being on the north right-of-way line of said Union Pacific Railroad, said corner being on a circular curve to the left, having a radius of 3,895.33 feet and whose chord bears North 89 degrees 59 minutes 35 seconds West, a distance of 790.25 feet;

THENCE Northwest, along said north right-of-way line and said curve to the left, through a central angle of 11 degrees 38 minutes 37 seconds, an arc distance of 791.61 feet to a point for corner for the end of said curve;

THENCE South 84 degrees 11 minutes 07 seconds West, along said north right-of-way line, a distance of 3,433.02 feet to a found concrete monument (disturbed);

THENCE North 04 degrees 25 minutes 44 seconds West, along said north right-of-way line, a distance of 24.96 feet to a point for corner;

THENCE South 84 degrees 11 minutes 05 seconds West, along said north right-of-way line, a distance of 1,493.62 feet to a point for corner in the north line of Tract 2 of said Union Pacific Railroad deed (Document Number 201910086);

THENCE North 05 degrees 46 minutes 57 seconds West, along the east line of said Union Pacific Tract 2, a distance of 25.00 feet to a point for corner for northeast corner of said Union Pacific Tract 2;

THENCE South 84 degrees 11 minutes 05 seconds West, along the north line of said Union Pacific Tract 2, a distance of 577.77 feet to a set 5/8-inch YCIR for the for the beginning of a circular curve to the left, having a radius of 2,105.00 feet and whose chord bears South 81 degrees 00 minutes 37 seconds West, a distance of 235.02 feet;

THENCE Southwest, along said north line and said curve to the left, through a central angle of 06 degrees 24 minutes 01 second, an arc distance of 235.14 feet to a point for corner for the northwest corner of said Union Pacific Tract 2;

THENCE South 12 degrees 11 minutes 23 seconds East, along the west line of said Union Pacific Tract 2, a distance of 25.00 feet to a point for corner for the southwest corner of said Union Pacific Tract 2, said corner being on the north right-of-way line of said Union Pacific Railroad, said corner being on a circular curve to the left, having a radius of 2,080.00 feet and whose chord bears South 67 degrees 29 minutes 25 seconds West, a distance of 744.10 feet;

THENCE Southwest, along said north right-of-way line and said curve to the left, through a central angle of 20 degrees 36 minutes 29 seconds, an arc distance of 748.13 feet to a point for corner for the end of said curve;

THENCE South 57 degrees 09 minutes 11 seconds West, along said north right-of-way line, a distance of 913.24 feet to a point for corner in the north line of Tract 1 of said Union Pacific Railroad deed (Document Number 201910086);

THENCE North 32 degrees 47 minutes 47 seconds West, along the east line of said Union Pacific Tract 1, a distance of 25.00 feet to a point for northeast corner of said Union Pacific Tract 1;

THENCE North 57 degrees 09 minutes 11 seconds West, along the north line of said Union Pacific Tract 1, a distance of 434.92 feet to a point for corner for the northeast corner of said Union Pacific Tract 1;

THENCE South 32 degrees 47 minutes 47 seconds East, along the west line of said Union Pacific Tract 1, a distance of 25.00 feet to a point for the southwest corner of said Union Pacific Tract 1, said corner being on the north right-of-way line of said Union Pacific Railroad;

THENCE South 57 degrees 09 minutes 11 seconds West, along said north right-of-way line, a distance of 1,080.46 feet to a found car axle for the southwest corner of said Walsh Ranches tract and the southeast corner of Parcel 6, as described in Memorandum of Right-of-way Agreement, as recorded in Volume 1441, Page 441, D.R.P.C.T., said corner being on the north right-of-way line of Union Pacific Railroad (variable width);

THENCE North 00 degrees 13 minutes 49 seconds West, along the west line of said Walsh Ranches Tract a distance of 14,822.79 feet to a point for corner;

THENCE South 79 degrees 04 minutes 27 seconds West a distance of 833.50 feet to a point for corner;

THENCE North 69 degrees 10 minutes 38 seconds West a distance of 2,000.41 feet to a point for corner;

THENCE North 89 degrees 55 minutes 38 seconds West a distance of 2,536.63 feet to a point for corner;

THENCE North 86 degrees 25 minutes 38 seconds West a distance of 950.20 feet to a point for corner;

THENCE South 65 degrees 49 minutes 22 seconds West a distance of 197.30 feet to a point for corner;

THENCE North 01 degrees 33 minutes 29 seconds West a distance of 1266.94 feet to a point for corner;

THENCE North 88 degrees 26 minutes 21 seconds East a distance of 310.01 feet to a point for corner;

THENCE North 01 degrees 33 minutes 36 seconds West a distance of 560.00 feet to a point for corner;

THENCE South 88 degrees 26 minutes 28 seconds West a distance of 309.99 feet to a point for corner;

THENCE North 01 degrees 33 minutes 29 seconds West a distance of 1423.94 feet to a point on the south right of way line of said IH 20;

THENCE North 00 degrees 52 minutes 55 seconds West, departing the south right-of-way line of said IH 20, across said IH 20, a distance of 402.23 feet to the southeast corner of Parcel 2, as recorded in Volume 1441, Page 400 D.R.P.C.T., said corner being on the north right-of-way line of said IH 20;

THENCE North 02 degrees 13 minutes 26 seconds West, along the east line of said Parcel 2, departing the north right-of-way line of said IH 20, a distance of 402.51 feet to a corner on the north line of said Parcel 2, said corner being the northeast corner of Parcel 2;

THENCE South 89 degrees 41 minutes 04 seconds West, departing the east line of said Parcel 2 and along the north line of said Parcel 2 a distance of 1190.21 feet to a 1-inch iron rod for a corner, said corner being in the north right-of way-line of said IH 20;

THENCE North 71 degrees 48 minutes 55 seconds West, along the north right-of-way line of said IH 20, a distance of 73.35 feet to a found 5/8-inch YCIR for the beginning of a curve to the left having a radius of 2,893.79 feet, a central angle of 18 degrees 00 minutes 45 seconds and a chord bearing of North 80 degrees 32 minutes 02 seconds West, a distance of 906.01 feet;

THENCE Northwesterly along said north right-of-way line and said curve to the left, an arc length of 909.75 feet to a found TxDOT monument for the end of said curve;

THENCE North 50 degrees 36 minutes 24 seconds West, departing the north right-of-way line of said IH 20, along the east right-of-way of said FM 3325, a distance of 117.42 feet to a found TxDot monument for corner;

THENCE North 00 degrees 41 minutes 43 seconds West, continuing along said east right-of-way line, a distance of 370.73 feet to a found 5/8-inch YCIR for the beginning of a curve to the left having a radius of 11,519.16 feet, a central angle of 01 degrees 44 minutes 03 seconds and a chord bearing North 01 degrees 33 minutes 45 seconds West, a distance of 348.64 feet;

THENCE Northwesterly continuing along said east right-of-way line and said curve to the left an arc length of 348.65 feet to a found TxDOT monument for the end of said curve;

THENCE continuing along the east right-of-way of said FM 3325 the following courses and distances:

THENCE North 02 degrees 25 minutes 46 seconds West, a distance of 240.91 feet to a found railroad spike in base of tree for corner;

THENCE North 02 degrees 25 minutes 46 seconds West, a distance of 138.55 feet to a found TxDOT monument for corner;

THENCE North 04 degrees 41 minutes 44 seconds East, a distance of 201.56 feet to a point for corner;

THENCE North 02 degrees 25 minutes 46 seconds West, a distance of 200.00 feet to a found TxDOT monument for corner;

THENCE North 16 degrees 27 minutes 57 seconds West, a distance of 103.08 feet to a found TxDOT monument for corner;

THENCE North 02 degrees 25 minutes 46 seconds West, a distance of 21.55 feet to a point for the beginning of a curve to the right having a radius of 11,399.09 feet, a central angle of 01 degrees 22 minutes 14 seconds and a chord bearing North 01 degrees 44 minutes 39 seconds West, a distance of 272.67 feet;

THENCE Northwesterly continuing along said curve to the right an arc length of 272.68 feet to a found TxDOT monument for corner for the end of said curve;

THENCE North 01 degrees 03 minutes 32 seconds West, a distance of 104.36 feet to a found TxDOT monument for corner;

THENCE North 04 degrees 39 minutes 06 seconds East, a distance of 100.50 feet to a point for corner, from which a found TxDOT monument bears North 89 degrees 40 minutes 40 seconds West, a distance of 2.76 feet;

THENCE North 10 degrees 15 minutes 03 seconds East, a distance of 101.98 feet to a point for corner;

THENCE North 01 degrees 03 minutes 32 seconds West, a distance of 100.00 feet to a point for corner;

THENCE North 06 degrees 46 minutes 11 seconds West, a distance of 100.50 feet to a found TxDOT monument for corner;

THENCE North 01 degrees 03 minutes 32 seconds West, a distance of 100.00 feet to a found TxDOT monument for corner;

THENCE North 06 degrees 46 minutes 11 seconds West, a distance of 100.50 feet to a found TxDOT monument for corner;

THENCE North 01 degrees 03 minutes 32 seconds West, a distance of 100.00 feet to a found TxDOT monument for corner;

THENCE North 06 degrees 46 minutes 11 seconds West, a distance of 100.50 feet to a found TxDOT monument for corner;

THENCE North 01 degrees 03 minutes 32 seconds West, a distance of 122.14 feet to the POINT OF BEGINNING and containing 7,945.98 acres or 346,126,933 square feet of land more or less.

Save and Except the following 754.418 acres more or less:

Approximately 3.97 acres of land described in a deed recorded in Volume 1841, Page 1266, D.R.P.C.T.

Approximately 1.52 acres of land described in a deed recorded in Document Number D201729900, D.R.P.C.T.

Approximately 23.535 acres of land described in a deed recorded in Volume 2507, Page 290, D.R.P.C.T.

Approximately 268.47 acres of land described in a deed recorded in Document Number 201607571, O.P.R.T.C.T

Approximately 182.393 acres of land described in a deed recorded in Document Number D201815085, O.P.R.T.C.T.

Approximately 60.07 acres of land described in a deed recorded in Document Number D202125716, O.P.R.P.C.T.

Approximately 155.03 acres of land described in a deed recorded in Document Number D202148529, O.P.R.P.C.T.

Approximately 34.548 acres of land described in a deed recorded in Document Number D202148423, O.P.R.P.C.T.

Approximately 2.0 acres of land described in a deed recorded in Volume 2438, Page 899, D.R.P.C.T.

Approximately 1.522 acres of land described in a deed recorded in Document Number D202148528, O.P.R.P.C.T.

Approximately 21.36 acres of land described in a deed recorded in Document Number D202426157, O.P.R.P.C.T.

For a net acreage of 7,191.562 acres more or less.

Note: This note serves to clarify that the property boundary depicted in the provided exhibit and description for the subject property was prepared based solely on prior records, including but not limited to deeds, plats, and other available documentation. This depiction does not constitute a formal boundary survey. No fieldwork, measurements, or on-site investigations were conducted to verify the accuracy of these boundaries. Bearings are based on Texas State Coordinate System. Distances shown hereon are surface values using a combined scale factor of 0.99984462415